

Applicant: John Robert Davies  
Serial No.: 09/740,965 – Filed: December 21, 2000  
April 1, 2010  
Page 2 of 11

**In The Claims:**

Please cancel claims 19-57, and add claims 58-71 as follows:

1 - 57. (cancelled).

58. (New) A closure assembly comprising:

a closure frame including a jamb having a hollow bound on three sides and defining a jamb pocket portion, the jamb and the jamb pocket portion being a one piece unit, the closure frame having an assembled state wherein the closure frame is mounted in an opening of a building,

a spring biased roller carried within the jamb pocket portion,

a retractable screen carried on the spring biased roller, the retractable screen having a leading edge, the retractable screen accumulating on and paying out from the spring biased roller,

wherein the retractable screen and spring biased roller are removable from the jamb pocket portion when the closure frame is in the assembled state such that the closure frame remains in the assembled state when the screen is removed from the jamb pocket portion.

59. (New) The closure assembly of claim 58 further comprising sill and header portions including integral guides for tracking the leading edge of the retractable screen, wherein the leading edge of the retractable screen is guided in the guides provided with the sill and header portions of the closure assembly to and from an operative positions.

60. (New) The closure assembly of claim 59 wherein the guides further comprise grooves disposed in the header and sill portions to receive an extension portion of a handle portion disposed at the leading edge of the retractable screen thereby engaging the grooves to maintain the parallelism of top and bottom portions of the handle as the retractable screen is payed out and accumulated to and from the spring biased roller within the jamb pocket.

61. (New) The closure assembly of claim 59, wherein all four sides of the closure frame are formed by means of an extrusion process.

62. (New) The closure assembly of claim 58, wherein two or more sides of the closure frame are formed by means of an extrusion process.

63. (New) The closure assembly of claim 58, wherein the retractable screen comprises a mesh screen.

64. (New) The closure assembly of claim 58, wherein the jamb pocket portion is defined by three sides of the interior of the jamb of the closure frame.

65. (New) A window assembly comprising:  
a window frame for supporting a window, the window frame including a jamb having a hollow bound on three sides and defining a jamb pocket portion, the jamb and

the jamb pocket portion being a one piece unit, the window frame having an assembled state wherein the window frame is mounted in an opening of a building,

a roll screen cassette carried within the jamb pocket portion, the roll screen cassette including a retractable screen and a spring biased roller, the retractable screen having a leading edge carried on the spring biased roller, the retractable screen accumulating on and paying out from the spring biased roller of the roll screen cassette,

wherein the roll screen cassette is removable from the jamb pocket portion when the window frame is in the assembled state such that the window frame remains in the assembled state when the screen is removed from the jamb pocket portion.

66. (New) The window assembly of claim 65 further comprising sill and header portions including integral guides for tracking the leading edge of the retractable screen, wherein the leading edge of the retractable mesh screen is guided in the guides provided with the sill and header portions of the window assembly to and from an operative position.

67. (New) The window assembly of claim 73, wherein the guides further comprise grooves disposed in the header and sill portions to receive an extension portion of a handle portion disposed at the leading edge of the retractable screen thereby engaging the grooves to maintain the parallelism of top and bottom portions of the handle as the retractable screen is payed out and accumulated to and from the spring biased roller of the roll screen cassette contained in the jamb pocket portion.

68. (New) The window assembly of claim 65, wherein all four sides of the closure frame are formed by means of an extrusion process.

69. (New) The window assembly of claim 65, wherein two or more sides of the closure frame are formed by means of an extrusion process.

70. (New) The window assembly of claim 65, wherein the retractable screen comprises a mesh screen.

71. (New) The window assembly of claim 65, wherein the jamb pocket portion is defined by three sides of the interior of the jamb of the window frame.